



Container Specifications

Prepared by: www.sailingtop.com

General purpose (Dry Container):

General purpose 20' x 8' x 8'6"		Steel	
		Millimetres	Feet
Internal Dimensions	Length	5,898	19'4 13/64"
	Width	2,352	7'8 19/32"
	Height	2,393	7'10 7/32"
Door Opening	Width	2,340	7'8 1/8"
	Height	2,280	7'5 49/64"
		Kilograms	Pounds
Weight	Max Gross	30,480	67,200
	Tare	3,650	8,440
	Max Payload	26,830	58,760
		Cube Metres	Cube Feet
Internal Capacity		33.2	1170
General purpose 40' x 8' x 8'6"		Steel	
		Millimetres	Feet
Internal Dimensions	Length	12,032	39'5 45/64"
	Width	2,352	7'8 19/32"
	Height	2,393	7'10 7/32"
Door Opening	Width	2,340	7'8 1/8"
	Height	2,280	7'5 49/64"
		Kilograms	Pounds
Weight	Max Gross	30,480	67,200
	Tare	3,830	8,050
	Max Payload	26,650	59,150
		Cube Metres	Cube Feet
Internal Capacity		67.7	2,390

High cube:

High cube 40' x 8' x 9'6"		Steel	
		Millimetres	Feet
Internal Dimensions	Length	12,032	39'5 45/64"
	Width	2,352	7'8 19/32 "
	Height	2,698	8'10 7/32"
Door Opening	Width	2,340	7'8 1/8"
	Height	2,585	8'5 49/64"
		Kilograms	Pounds
Weight	Max Gross	30,480	67,200
	Tare	3,830	8,440
	Max Payload	26,500	58,760
		Cube Metres	Cube Feet
Internal Capacity		76.4	2700
High cube 45' x 8' x 9'6"		Steel	
		Millimetres	Feet

Internal Dimensions	Length	13,556	44'5 45/64"
	Width	2,352	7'8 19/32"
	Height	2,698	8'10 7/32"
Door Opening	Width	2,340	7'8 1/8"
	Height	2,585	8'5 49/64"
Weight		Kilograms	Pounds
	Max Gross	30,480	67,200
	Tare	4,700	10,360
	Max Payload	25,780	56,840
Internal Capacity		Cube Metres	Cube Feet
		86.1	3040

Refrigerated:

Refrigerated 40' x 8' x 9'6"		Steel	
		Millimetres	'
Internal Dimensions	Length	11,590	38'19/64"
	Width	2,294	7'6 5/16"
	Height	Norminal	2,555
Usable		2,445	8'21/32"
Door Opening	Width	2,290	7'6 5/32"
	Height	2,569	8'5 9/64"
Weight		Kilograms	Pounds
	Max Gross	30,480	67,200
	Tare	4,880	10,760
	Max Payload	25,600	56,440
Internal Capacity		Cube Metres	Cube Feet
	Norminal	67.9	2,399
	Usable	65.3	2,307
Refrigerated 20'x 8' x 8'6"		Steel	
		Millimetres	Feet
Internal Dimensions	Length	5,455	17'10 3/4"
	Width	2,292	7'6 1/4"
	Height	Norminal	2,274
Usable		2,174	7'1 14/25"
Door Opening	Width	2,232	7'6 1/4"
	Height	2,259	7'4 15/16"
Weight		Kilograms	Pounds
	Max Gross	30,480	67,200
	Tare	3,000	6,610
	Max Payload	27,480	60,590
Internal Capacity		Cube Metres	Cube Feet
	Norminal	28.4	1,000
	Usable	27.2	958

Open Top:

Open top 40' x 8' x 8'6"		Steel	
		Millimetres	Feet
Internal Dimensions	Length	12,036	39'5 55/64"
	Width	2,352	7'8 19/32"
	Height	2,248	7'8 7/16"
Door Opening	Width	2,340	7'8 1/8"

	Height	2,280	7'5 49/64"
		Kilograms	Pounds
Weight	Max Gross	30,480	67,200
	Max Payload	26,680	58,820
		Cube Metres	Cube Feet
Internal Capacity		65.9	2.33
Open top 20' x 8' x 8'6"		Steel	
		Millimetres	Feet
Internal Dimensions	Length	5,900	19'4 9/32"
	Width	2,352	7'8 19/32"
	Height	2,350	7'8 33/64"
Door Opening	Width	2.34	7'8 1/8"
	Height	2,280	7'5 49/64"
		Kilograms	Pounds
Weight	Max Gross	30,480	67,200
	Tare	2,120	4,670
	Max Payload	28,360	62,530
		Cube Metres	Cube Feet
Internal Capacity		32.6	1,152

Flatracks:

Flatracks 40' x 8' x 8'6"		Steel	
		Millimetres	Feet
Internal Dimensions	Length	12,180	39'11 17/32"
	Width	2,230	7'3 51/64
	Height	Unfolded	6'4 31/32
		Folded	2'1 15/32"
		Kilograms	Pounds
Weight	Max Gross	45,000	99,210
	Tare	5,000	11,020
	Max Payload	40,000	88,190
		Cube Metres	Cube Feet
Internal Capacity		53.1	1876.6
Flatracks 20' x 8' x 8'6"		Steel	
		Millimetres	Feet
Internal Dimensions	Length	5,618	18'5 3/16"
	Width	2,230	7'3 13/16"
	Height	Unfolded	7'3 29/32"
		Folded	1'2 9/16"
		Kilograms	Pounds
Weight	Max Gross	30,480	67,200
	Tare	2,750	6,060
	Max Payload	27,730	61,140
		Cube Metres	Cube Feet
Internal Capacity		27.9	986

Garmentainers:

Garmentainers 40' x 8' x 8'6"		Steel	
		Millimetres	Feet
Internal Dimensions	Length	12,180	39'11 17/32"

	Width	2,230	7'3 51/64"
	Height	1,955	6'4 31/32"
Door Opening	Width	2,340	7'8."
	Height	2,280	7'5.8"
		Kilograms	Pounds
Weight	Max Gross	30.48	67,200
	Tare	3,885	8,565
	Max Payload	26,595	58,635
		Cube Metres	Cube Feet
Internal Capacity		67.7	2,390
Garmentainers 20' x 8' x 8'6"			Steel
		Millimetres	Feet
Internal Dimensions	Length	5,900	19'4.2"
	Width	2,352	7'8.5"
	Height	2,353	7'10.1"
Door Opening	Width	2,340	7'8"
	Height	2,280	7'5.8"
		Kilograms	Pounds
Weight	Max Gross	24,000	52,910
	Tare	2,240	4,490
	Max Payload	21,760	47,970
		Cube Metres	Cube Feet
Internal Capacity		33.2	1,172

Powered by TopSailing International
Copyright 2005-2006
All Rights reserved